

Question 2

In this question you must show all stages of your working.
Solutions relying entirely on calculator technology are not acceptable.




Figure 4

Figure 4 shows a design for a feeding trough.

The trough is modelled as a hollow, semicircular cylinder of radius r cm and length l cm.

The trough will be made from sheet metal of negligible thickness.

Given that the capacity of the trough will be $90\,000\pi$ cm³

- (a) show that the total area, A cm², of sheet metal required to make the trough is given by

$$A = \frac{180\,000\pi}{r} + \pi r^2 \quad (4)$$

- (b) Use calculus to find the radius of the trough for which A is a minimum. (4)

- (c) Show that the radius found in part (b) gives the minimum value of A . (2)

Given that the sheet metal costs £30 per square metre

- (d) calculate the minimum cost of sheet metal required to make one trough. (2)

- (e) State one assumption you have made in calculating your answer to part (d). (1)

Question 4




Figure 5

Figure 5 shows the plan view of the design for a swimming pool.

The pool is modelled as a quarter of a circle joined to two equal sized rectangles as shown.

Given that

- the quarter circle has radius x metres
- the rectangles each have length x metres and width y metres
- the total surface area of the swimming pool is 100 m^2

(a) show that, according to the model, the perimeter P metres of the swimming pool is given by

$$P = 2x + \frac{200}{x} \quad (5)$$

(b) Use calculus to find the value of x for which P has a stationary value.

(4)

(c) Prove, by further calculus, that this value of x gives a minimum value for P

(2)

Access to the pool is by side AB shown in Figure 5.

Given that AB must be at least one metre,

(d) determine, according to the model, whether the swimming pool with the minimum perimeter would be suitable.

(2)
